

Technology
you can
rely on



Central Lubrication Systems for Mining Machines



The progressive system

The progressive system supplies the lubrication points in a fixed order. It can be operated optionally with oil or grease up to NLGI 2.

The progressive distributor works consecutively (progressive). Only after the first lube point has received the right lubricant quantity, the distributor continues running and delivers the next one.

The progressive system can be monitored easily and offers various extension possibilities.

BEKA progressive distributors distinguish themselves by modular flexibility instead of rigid block design. Caused by the tried-and-tested disc design, BEKA progressive distributors can be adapted to the individual demands like number of lube points or output at any time.



BEKA SX-D distributor box


The individual sectional system

The sectional system is an extended progressive system. Large plants with a high number of lubrication points are divided into sections which are supplied by a pump station. The single sections can be controlled and monitored individually. Even differently stressed areas can be supplied as required.

The sectional system can be extended quasi without limits and offers the possibility to monitor each single lubrication point.



BEKA protective chamber: The whole lubrication technology is protected against dirt and damages.



The single line system

The lubrication pump of the single line system delivers the lubricant to the distributors. The line system can be branched as required. The single line system can be controlled by integrated or external control systems.

The single line system is characterized by easy installation, operation and maintenance and can be extended as required. It is tried-and-tested in large numbers all over the world.




BEKA injectors

The dual line system

The dual line system is the classical solution for large plants. The lubricant can be transported over wide distances. The number of connected lubrication points has nearly no limits.

Dual line combination consisting of switch-over unit, distributors and differential pressure switch.



Lubrication pumps in all sizes


The BEKA product range offers an enormous diversity of lubrication pumps:

- With electrical, hydraulic or pneumatical drive
- With a wide range of reservoir capacities
- Barrel pumps with electrical, hydraulic or pneumatical drive
- Powerful filling pumps

All BEKA pumps distinguish themselves with highest quality and operational reliability. They are tried-and-tested all over the world.



Barrel pump station type HFP



Gear rim lubrication with lubrication pinion

The lubrication system with lubrication pinion is a special solution for the lubricant supply of gear rims. Lubricant directly comes out of holes in the toothed flank of the lubrication pinion.

Caused by the design of the pinion, lubrication happens only during intermeshing. The lubrication pinion is suitable for grease up to NLGI 2.

Advantages of the lubrication pinion:

- Rugged design, made of aluminium
- Adapted to the module of the gear wheel
- Reliable lubrication of the contact zone
- Suitable for grease up to NLGI class 2

The lubricating pinion delivers lubricant only during intermeshing. This cares for reliable greasing of the highly loaded tooth faces.



The spray lubrication system


The spray lubrication system represents the clean and innovative alternative to conventional gear rim lubrication. The lubricant is transported and splitted by compressed air and then divided by patented mixing distributors. Spray nozzles care for the lubricant apply onto the tooth faces.

This highly-efficient and non-contacting technology even works with very little rotary motions. Caused by the special technology, spray lubrication is even suitable for lubricants with high solids content.

Advantages of the spray lubrication system:

- Precise lubricant apply onto the tooth faces
- Only the friction areas are lubricated
- Very low lubricant consumption
- No over-lubrication


Spray lubrication system installed at a winch drive






Excavator SchRs 1320/4x30
653 lubrication points

3x hydraulic barrel pump (200 kg) with dual line and sectional system
2x high pressure pump FKGM-EP (8 kg) with progressive system
1x high pressure pump F-Super3 (48 kg) with progressive system
6x spray lubrication system




Excavator K2000
1005 lubrication points

5x hydraulic barrel pump (200 kg) with sectional system
1x high pressure pump F-Super3 (48 kg) with progressive system
13x spray lubrication system



Spreader ZPDH 6300.1-CZ
342 lubrication points

3x hydraulic barrel pump (200 kg) with dual line and sectional system
1x high pressure pump F-Super3 (48 kg) with progressive system
1x high pressure pump F-Super3 (48 kg) with pinion lubrication
2x spray lubrication system



BAIER + KÖPPEL GMBH + CO
PRÄZISIONSAPPARATEFABRIK

BEETHOVENSTRASSE 14
91257 PEGNITZ/BAVARIA

PO box 13 20
91253 PEGNITZ/BAVARIA

GERMANY

fon +49 9241 729-0

fax +49 9241 729-50

e-mail beka@beka-lube.de

www.beka-lube.de



BEKA-MAX

FLUOLUB

FOODLINE

BEKAWIND

BEKA WOOD

BEKA CLEAR
TECHNIC

BEKA
Iron

BEKA
ProX

MAW

Industrial Lubrication

Vehicle Lubrication Systems

Spray Lubrication Systems

Lubrication Systeme for Filling
and packaging Industries

Lubrication Systems for Wind Converters


Lubrication Systeme for Wood Yards
and Saw Mills

Environmental Technology

Control and Monitoring Electronics

Telemetric Systems

Machines, Plants, Tools



Subsidiaries

AUSTRIA

BEKA-Lube GmbH
Carola-Blome-Str. 7
5020 Salzburg
fon 0043 / 662 / 43 84 40
fax 0043 / 662 / 43 84 403
e-mail office@beka-lube.at

BELGIUM

BEKA LUBE N.V.S.A.
Demerstraat 32
BE 3200 Aarschot
fon 0032 / 16 / 64 09 26
fax 0032 / 16 / 64 05 48
e-mail bekalube@skynet.be

CANADA

BEKA-LUBE Products Inc.
2830 Argentinia Road, Unit 9
Mississauga ON L5N 8G4
fon 001 / 905 / 821 / 1050
fax 001 / 905 / 858 / 0597
e-mail info@beka-lube.com

CHINA

EAST TSANHAIR COMPANY LTD.
7A Building, Medicine Valley No.1,
No.9 Tianfu Street, Bio-Medicine Park,
Zhongguancun Science Park,
Daxing District, Beijing, China 102600
fon 0086 / 10 / 83 681 526
fax 0086 / 10 / 83 681 520
e-mail beka-china@vip.163.com

FRANCE

BEKALUBE FRANCE
4, bis Rue de l'Artisanat
89100 Paron
fon 0033 / 386 / 83 39 06
fax 0033 / 386 / 83 39 06
e-mail contacts@bekalube.fr

ITALY

BEKALUBE s.r.l.
Via Rossi 152
20043 Arcore
fon 0039 / 039 / 618 00 88
fax 0039 / 039 / 61 75 23
e-mail bekalube@bekalube.it

KOREA

BEKA AHWON
326-1 Danggung Dong
Gunpo Si Kyungki Do Korea
fon 0082 / 31 / 451 / 0628
fax 0082 / 31 / 451 / 0974
e-mail jhleeahwon@yahoo.co.kr

NETHERLANDS

BEKA NEDERLAND B.V.
Wagenmakerij 11
4762 AV Zevenbergen
fon 0031 / 168 / 37 15 38
fax 0031 / 168 / 33 83 29
e-mail info@beka.nl

SPAIN

BEKA-LUBE IBERICA S.L.
Avda. de Suiza, 3 P.A.L. Coslada
28820 Coslada (Madrid)
fon 0034 / 91 / 670 7800
fax 0034 / 91 / 670 78413
e-mail beka@beka-lube.es

TURKEY

BEKAMAKS MAKINA SANAYI
ve TICARET LTD. STI.
Kucukyali Ticaret Merkezi
B Blok No. 7 Girne Mah.
34852 Mattepe / Istanbul
fon 0090 / 216 / 367 34 00
fax 0090 / 216 / 367 33 85
e-mail info@bekamaks.com

USA

BEKA-MAX of America
2600 North America Drive Suite 8
P.O. Box 615 West Seneca, NY 14224
fon 001 / 905 / 821 / 1050
fax 001 / 905 / 858 / 05 97
e-mail info@beka-lube.com

Agencies

Argentina	Hong Kong	Norway
Australia	Hungaria	Poland
Belarus	India	Portugal
Bosnia	Indonesia	Russia
Brazil	Iceland	Serbia
Croatia	Ireland	Slovakia
Czechia	Japan	Slovenia
Denmark	Latvia	South Africa
Estonia	Lithuania	Sweden
Finland	Luxemburg	Switzerland
Great Britain	Malaysia	and others
Greece	New Zealand	